

Figure 1: XRPD pattern of polymorphic form α of 4-(4-*trans*-hydroxy-cyclohexyl)amino-2-phenyl-7*H*-pyrrolo[2,3*d*]pyrimidine mesylate




Figure 2: IR (ATR) spectrum of form polymorphic form α of 4-(4-*trans*-hydroxy-cyclohexyl)amino-2-phenyl-7*H*-pyrrolo[2,3*d*]pyrimidine mesylate




Figure 3: DSC trace of form polymorphic form α of 4-(4-*trans*-hydroxy-cyclohexyl)amino-2-phenyl-7*H*-pyrrolo[2,3*d*]pyrimidine mesylate




Figure 4: XRPD pattern of polymorphic form β of 4-(4-*trans*-hydroxy-cyclohexyl)amino-2-phenyl-7*H*-pyrrolo[2,3*d*]pyrimidine mesylate




Figure 5: IR (ATR) spectrum of polymorphic form β of 4-(4-*trans*-hydroxy-cyclohexyl)amino-2-phenyl-7*H*-pyrrolo[2,3*d*]pyrimidine mesylate




Figure 6: DSC trace of polymorphic form β of 4-(4-*trans*-hydroxy-cyclohexyl)amino-2-phenyl-7*H*-pyrrolo[2,3d]pyrimidine mesylate

